Date of Deposit February 9, 2001

JC06 Rec'd PCT/PTO 0 9 FEB 2001

| | | PTO-139 -93) | 0 | | S. DEPARTMENT (TENT AND TRADE | | CASE NO. 10522/38 | | | | |
|-------------------------------|-------------|---|------------------------|---------------------------|--|--|--|--|--|--|--|
| • | | DE | SIGNATE | ED/ELECTE | FO THE UNITED S D OFFICE (DO/EC B UNDER 35 U.S.C |)/US) | U.S. APPLICATION NO. (If known, see 37 C F.R 1.5) 09/762619 | | | | |
| INTE | ĒRN. | ATIONAL | APPLICA - 599/1805 | TION NO. | INTERNATIONAL | FILING DATE | PRIORITY DATE CLAIMED | | | | |
| | | F INVEN | NOITI | | | 9, 1999 | August 11, 1998 | | | | |
| | | | SULFIDE FOR DO/ | | SPECIES WITH C | OILS | | | | | |
| VEF | RSIT | ECH, IN | C. | | t- 1 Ot-1 Di | 1. 1/51. 1. 1.00 | 00/50/10/11 | | | | |
| | _ | | | | | | DO/EO/US) the following items and other information: | | | | |
| 1. | | | | | | g a filing under 35 U | | | | | |
| 2. | | | | | | | ng a filing under 35 U.S.C. 371 | | | | |
| 3. | \bowtie | than de 39(1). | xpress i lay exam | request to ination until | the expiration of t | examination proce he applicable time li | edures (35 U.S.C. 371(f)) at any time rather mit set in 35 U.S.C. 371(b) and PCT Articles 22 and | | | | |
| 4. | \boxtimes | | er Dema priority o | | ernational Prelimir | nary Examination v | was made by the 19th month from the earliest | | | | |
| 5. | \boxtimes | A copy of the International Application as filed (35 U.S.C. 371(c)(2)). | | | | | | | | | |
| 5. And the mile that the Sant | | a. | \boxtimes | is transmit | ted herewith (requi | red only if not transn | nitted by the International Bureau). | | | | |
| * | | b. | b. | | | | | | | | |
| en En | | C. | \boxtimes | is not requ | ired, as the applica | ation was filed in the | United States Receiving Office (RO/US). | | | | |
| 6. | | A transl | ation of th | he Internatio | nal Application into | o English (35 U.S.C. | 371(c)(2)). | | | | |
| 7. | \boxtimes | Amend | ments to t | the claims o | f the International | Application under PC | CT Article 19 (35 U.S.C. 371(c)(3)). | | | | |
| 4 | | a. | | are transm | itted herewith (req | uired only if not trans | smitted by the International Bureau). | | | | |
| # # 74 | | b. | | have been | transmitted by the | International Bureau | u. | | | | |
| Hard Hann Hand | | c. | | have not b | een made; howeve | er, the time limit for n | naking such amendments has NOT expired. | | | | |
| | | d. | \boxtimes | have not b | een made and will | not be made. | | | | | |
| 8. | | A transl | ation of th | ne amendm | ents to the claims u | under PCT Article 19 | (35 U.S.C. 371(c)(3)). | | | | |
| | \boxtimes | An oath | or declar | ration of the | inventor(s) (35 U.S | S.C. 371(c)(4)). | | | | | |
| 10. | | A tran 36 (35 U | slation o J.S.C. 37 | of the an 1(c)(5)) and | nexes to the l /or amendments u | nternational Prelim | ninary Examination Report under PCT Article | | | | |
| | | 1. to 16. | Below co | oncern othe | er document(s) or | information includ | led: | | | | |
| 11. | \boxtimes | An Infor | mation D | isclosure St | atement under 37 | CFR 1.97 and 1.98. | | | | | |
| 12., | | An assi | gnment d | ocument for | recording. A sepa | rate cover sheet in c | compliance with 37 CFR 3.28 and 3.31 is included. | | | | |
| 13. | | A FIRST | Γprelimin | ary amendr | nent. | | | | | | |
| | | | A SECC | ND or SUB | SEQUENT prelimir | nary amendment. | · | | | | |
| 14. | | A substi | tute spec | ification. | | | | | | | |
| 15. | \boxtimes | A chang | e of powe | er of attorne | y and/or address le | etter. | | | | | |
| 16. | ₫ | Other ite | ems or inf | formation: F | orm PTO-1449; 2 | 1 cited references | | | | | |
| | | | | | | | - | | | | |

| | | | | | JC02 Red | c'd PC | T/PTO_ | 09 | FEB | 2001 |
|-------------|---|---|---------------------|------------------|-------------------------|------------|---------------|-------------------|-----------|---|
| U.S. APPL | ICATION NO 1 kg/n, | 7762619 | INTERNATION PC | | ICATION NO. 99/18055 | CAS | SE NO. 105 | 522/38 | | |
| 17.🛛 | The following fee | es are submitted: | | | | C | ALCULATIO | ONS | PTO | USE ONLY |
| | Basic National Fee (Search Report has be | (37 CFR 1.492(a)(1)-(5)): een prepared by the EPO or JPO. | | | \$860.00 | | | | | |
| | International prelimina | ary examination fee paid to USPT | 0 | | | | | | | |
| | (37 CFR 1.492(a)(1)) | | | | \$690.00 | | | | | |
| | No international prelin | minary examination fee paid to US nternational search fee paid to USI | PTO PTO | | | | | | | |
| | (37 CFR 1.492(a)(2)) | | | | \$710.00 | | | | | |
| | Neither international p | preliminary examination fee (37 | | | | | | | | |
| | CFR 1.482) nor interr | national search fee (37 CFR JSPTO | | | \$1,000,00 | | | | | |
| | | | | | | | | | | |
| | USPTO (37 CFR 1.48 | ary examination fee paid to 82) and all claims satisfied | | | | | | | | |
| • | provisions of PCT Art | ticle 33(1)-(4) | | | \$100.00 | | | | | |
| | FNTER | APPROPRIATE BAS | SIC FEE AI | MOU | NT | | | \$690 | | |
| Surcharge | | ing the oath or declaration later the | | | | ied | | | | *************************************** |
| priority da | te (37 CFR 1.492(e)). Claims | Number Filed | Number Ext | tra | Rate | | | | | |
| Total Clair | | 31-20= | Transor Ex | 11 | x \$ 18 | .00 | \$ | 198.00 | | |
| Independe | | 3- 3= | | 0 | x \$ 80 | .00 | | \$0.00 | | |
| Multiple d | ependent claim(s) if Ap | pplicable) | | 0 | + \$270 | | | \$0.00 | | |
| * ** | | | | | SOVE CALCUATIONS | | | \$888 | | |
| | by $\frac{1}{2}$ for filing by sma 1.27, 1.28) | all entity, if applicable. Verified Sn | nall Entity stateme | ent must | also be filed. (Note | 37 | 3 | 6444.00 | | |
| î i | | | | | SUBTOTA | | | \$444 | | |
| | | hing the English translation later | than the 🔲 20 [| □ 30 n | nonths from the earli | est | | \$0 | | |
| ciaimeu p | riority date (37 CFR 1.4 | +92(1)). | | T | OTAL NATIONAL FE | E= | | \$444 | | |
| 1.5 | Fee for recording the e | nclosed assignment (37 CFR 1.21 | (h)). The assignm | ent mus | t be accompanied by | an | | | | |
| <u>s</u> | | appropriate cove | r sheet (37 CFR 3 | | l), \$40.00 per propert | | | 0444 | | |
| <u>f</u> | | | | 101 | AL FEES ENCLOSE | U≕ | A mou | \$444 nt to be | | \$ |
| f.y | | | | | | | | efunded | | Ψ |
| 4.7 | | | _ | | | | (| harged | | \$ |
| at | A check i | in the amount of \$444 to cover the | above fees is enc | losed. | | | | | | |
| b.in | ☐ Please cl | harge my Deposit Account No. 23- | 1925 in the amour | nt of \$ | to cover the above f | ees. A du | plicate copy | of this sh | eet is er | iclosed. |
| C. | | nmissioner is hereby authorized to 925. A duplicate copy of this sheet | | tional fe | es which may be re | quired, or | credit any o | overpayme | ent to De | eposit Account |
| | there an appropriate tile application to pending | me limit under 37 CFR 1.494 or g status. | 1.495 has not bee | en met, | a petition to revive (| 37 CFR 1 | .137(a) or (l | b)) must b | e filed | and granted to |
| Send All (| Correspondence to: | | | | 111 | // | 2 ^ | $\overline{\Box}$ | | |
| | Brink | s Hofer Gilson & Lione P.O. Box 10395 Chicago, IL 60610 | | | Mart | / <i>/</i> | | X | _ | |
| | (| ornoago, IL 00010 | | Signati | | , -00 | <u> </u> | | | |
| | | | | Name | /. Richards | | 1.14 | | | |
| | | | | 37,921 Regist | ration Number | | | | | |
| | | | | | | | | | | |

Rev. Oct.-00 Document3

| | or Patentee: | Tom L. Young et al. |
|---------------------------------------|--|--|
| Serial or F | | Case No.: 10522/38 |
| Filed or Is For: | sued: | FLOTATION OF SULFIDE MINERAL SPECIES WITH OIL |
| roi | | FLOTATION OF SOLFIDE MINERAL SPECIES WITH OIL |
| | | VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS (37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCERN |
| l hereby d | eclare that I | m the owner of the small business concern identified below: |
| | | an official of the small business concern empowered to act on behalf of the concern identified below: |
| | CONCERN OF CONC | Versitech, Inc. RN 1438 West San Lucas Drive, Tucson, Arizona 85704 |
| ADDIVEO | JOI CONG | 1430 YVEST SAIT EUCAS DITVE, TUCSOII, AIIZOIIA 03704 |
| does not e concern of | of paying red exceed 500 p f the persons | e above identified small business concern qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for used fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, ersons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other ndirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both. |
| I hereby d | eclare that rig | hts under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled DE MINERAL SPECIES WITH OIL by inventor(s) Tom L. Young et al. described in |
| | \boxtimes | the specification filed herewith. |
| | | application serial no, filed |
| | | patent no, issued |
| rights to the or by any of statements | e invention a concern which s are required | above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention is listed below* and not be held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention is would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e). *NOTE: Separate verified from each named person, concern or organization having rights to the invention averring to their status as small entities. (37 CFR 1.27) |
| ADDRESS | 5 | 438 West Sand was Drive, Juson, HT 85709 |
| F.II | | ☐ INDIVIDUAL ME SMALL BUSINESS CONCERN IN INDIVIDUAL ME SMALL BUSINESS CONCERN IN INDIVIDUAL ME SMALL BUSINESS CONCERN IN INDIVIDUAL ME |
| NAME | _ | |
| ADDRESS | | |
| n de | | ☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGANIZATION |
| I acknowle of paying, | dge the duty the earliest o | to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time the issue fee or any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)) |
| these state 18 of the U | ements were | statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this exted. |
| TITLE OF | PERSON O | HER THAN OWNER Vice President |
| VDDKE99 | OF PERSO | N SIGNING 1438 West San Lucas Drive, Tucson, Arizona 85704 |

BRINKS HOFER GILSON & LIONE P.O. BOX 10395 Chicago, Illinois 60610 (312) 321-4200

Rev. Dec.-99 Document7

| DEC-18-2009 | Ø 16:12 _, BHGL—CHICAGO | 312 | 321 4299 | P.05/06 |
|---|--|--|--|-----------------|
| Applicant or Patentee | a; Tom L. Young et al. | | 1000000 | |
| Serial or Patent No: | | Case No.: | 10522/38 | |
| Filed or Issued: For: | FLOTATION OF SULFIDE MINERAL SPECIES WITH OIL | | | |
| | VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENT (37 CFR 1.9(f) and 1.27(c)) - SMALL BUSINESS CONCI | | | |
| I hereby declare that | I am the owner of the small business concern identified below: | | | |
| ☒ | an official of the small business concern empowered to act on behalf of the concern identified to | pelow: | | |
| NAME OF CONCER | N Versitech, Inc. | | | |
| ADDRESS OF CONC | | | | |
| concern of the person when either, directly of thereby declare that | persons. For purposes of this statement, (1) the number of employees of the business concern in this employed on a full-time, part-time or temporary basis during each of the pay periods of the fisc or indirectly, one concern controls or has the power to control the other, or a third party or parties or rights under contract or law have been conveyed to and remain with the small business concern in FIDE MINERAL SPECIES WITH OIL by Inventor(s) Tom L. Young et al. described in | al year, and (2) concer controls or has the pov | ns are affiliates of e ver to control both. | ach other |
| Ø | the specification filed herewith. | | | |
| | application serial no filed | | | |
| | patent no, issued | | | |
| lithe rights held by the nights to the Invention of by any concern white statements are require | ne above identified small business concern are not exclusive, each individual, concern or organiza or are held by any person, other than the inventor, who would not qualify as an independent inventorish would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization and from each named person, concern or organization having rights to the invention averting to the | or under 37 CFR 1.9(c) on under 37 CFR 1.9(e) | if that person made). *NOTE: Separate | the invention, |
| NAME | Versited Incorporated | 1 | | |
| ADDRESS | | | | |
| # 1 E | ☐ INDIVIDUAL SMALL BUSINESS CONCERN ☐ NONPROFIT ORGA | anization | | |
| NAME ADDRESS | / | | | |
| Reads with | ☐ INDIVIDUAL ☐ SMALL BUSINESS CONCERN ☐ NONPROFIT ORGA | ANIZATION | | |
| I acknowledge the dut of paying, the earliest | ty to file, in this application or patent, notification of any change in status resulting in loss of entitle of the issue fee or any maintenance fee due after the date on which status as a small entity is no | ment to small entity st longer appropriate. (3 | atus prior to paying. 37 CFR 1.28(b)) | or at the time |
| these statements were | all statements made herein of my own knowledge are true and that all statements made on informe made with the knowledge that willful false statements and the like so made are punishable by files Code, and that such willful false statements may jeopardize the validity of the application, any patiented. | ne or imorisonment, or | both, under Section | 1 1001 of Title |
| SIGNATURE NAME OF PERSON S TITLE OF PERSON OF ADDRESS OF PERSON | OTHER THAN OWNER Vice President | TE <u>0///</u> | 21/01 | |

BRINKS HOFER GILSON & LIONE P.O. BOX 10395 Chicago, Illinois 60610 (312) 321-4200

Rev. Dec.-99 Document7

FLOTATION OF SULFIDE MINERAL SPECIES WITH OILS

CROSS-REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. Provisional Application No. 60/096,175, filed August 11, 1998, which is incorporated herein by reference.

BACKGROUND OF THE INVENTION

This invention relates to the beneficiating or concentrating of ores. In particular, this invention relates to collectors useful in ore beneficiating.

Flotation is a process for concentrating minerals from their ores. Flotation processes are well known in the art and are probably the most widely used method for recovering and concentrating minerals from ores. In a flotation process, the ore is typically crushed and wet ground to obtain a pulp. Additives such as flotation or collecting agents and frothing agents are added to the pulp to assist in subsequent flotation steps in separating valuable minerals from the undesired, or gangue, portion of the ore. The flotation or collecting agents can comprise liquids such as oils, other organic compounds, or aqueous solutions. Flotation is accomplished by aerating the pulp to produce froth at the surface. Minerals, which adhere to the bubbles or froth, are skimmed or otherwise removed and the mineral-bearing froth is collected and further processed to obtain the desired minerals.

The basic technique behind froth flotation is to use chemicals to increase the hydrophobicity of the mineral to be beneficiated to form a concentrate. Meanwhile, chemicals are added, as necessary, to decrease the hydrophobicity of unwanted (gangue) minerals, so that these minerals report to the slurry and are discarded as tail. The main alternative technique in froth flotation is "reverse flotation." This consists of floating the gangue minerals as a concentrate and keeping the mineral of interest in the slurry.

Chemicals that promote hydrophobicity of a mineral are called that mineral's "promoter" or "collector." Collectors based on fatty acids have long

5

20

been used in collecting one or more of the oxide minerals such as fluorspar, iron ore, chromite, scheelite, CaCO₃, Mg CO₃, apatite, or ilmenite.

Also, early work used alkali metal salts of fatty acids, or soaps derived from natural oils by the process known as saponification. When an oil containing triglycerides is treated with a caustic solution under certain harsh processing conditions, the triglycerides disassociate into the alkali metal salts of the component fatty acids. The dissociation of the triglycerides into neutralized fatty acids is the saponification process. These neutralized fatty acids are soaps that act as non-selective flotation collectors.

Compounds containing sulfur, such as xanthates, thionocarbamates, dithiophosphates, and mercaptans, will selectively collect one or more sulfide minerals such as chalcocite, chalcopyrite, galena, or sphalerite. Unfortunately, sulfur based collectors are often toxic, have repugnant odors or both. Amine compounds are used to float KCl from NaCl and for silica flotation. Petroleumbased oily compounds such as diesel fuels, decant oils, and light cycle oils, are often used to float molybdenite. Those oils are also used as an "extender oil" that reduces the dosage of other more expensive collectors in the amine flotation of KCl.

Previous work on sulfide minerals has indicated that molecules containing sulfur are useful compounds for the froth flotation of sulfide minerals. These collectors are usually grouped into two categories: water-soluble and oily (*i.e.*, hydrophobic) collectors. Water-soluble collectors such as xanthates, sodium salts of dithiophosphates, and mercapto benzothiazole have good solubility in water (at least 50 gram per liter) and very little solubility in alkanes. Oily collectors, such as zinc salts of dithiophosphates, thionocarbamates, mercaptans, and ethyl octylsulfide, have negligible solubility in water and generally good solubility in alkanes.

Currently used collectors for most sulfide minerals are sulfur-based chemicals such as xanthates, thionocarbamates, dithiophosphates, or mercaptans. These chemicals have problems with toxicity and/or repugnant odors. In addition,

BRIEF SUMMARY OF THE INVENTION

This invention is directed to a method of beneficiating a mineral sulfide-containing material or a metallic species of gold, silver, copper, palladium, platinum, iridium, osmium, rhodium, and ruthenium by froth flotation in the presence of a collector as well as a collector for beneficiation of sulfide minerals, precipitates, or metallic species by froth flotation. In both aspects, the collector includes at least one oil which is either an essential oil or a natural or synthesized oil comprising triglycerides containing fatty acids of only 20 carbons or less, or an ester made from a fatty acid and an alcohol.

In the method aspect of the invention, the method includes the steps of (1) providing an aqueous slurry of the mineral sulfide-containing or metal-containing material, (2) adding a selective collector to the slurry, the collector comprising at least one oil selected from the group consisting of (a) a natural oil or synthesized oil comprising triglycerides containing fatty acids of only 20 carbons or less, or an ester made from a fatty acid and an alcohol; and (b) an essential oil; (3) selectively floating the mineral sulfide; and, then (4) recovering the mineral.

In the collector aspect of the invention, a collector is provided for beneficiation of sulfide minerals or precipitates from ores, concentrates, residues, tailings, slags, or wastes is provided. The collector includes at least one sulfurcontaining sulfide mineral flotation promotor; and at least one oil selected from the group consisting of (1) a natural or synthesized oil comprising at least one triglyceride, or at least one ester made from a fatty acid and an alcohol; or (2) an essential oil.

This invention has the advantage that the specified triglyceride, specialty, or essential oil will selectively float sulfide minerals by itself or mixed with other collectors. This and other advantages will be apparent from the detail description of the invention that follows.

Company of the property of the statement of the statement

5

20

25

DETAILED DISCLOSURE OF THE INVENTION

The subject invention provides materials and methods useful in the recovery of minerals. These materials and methods are specifically applicable to froth flotation procedures; whereby, minerals are removed and recovered from complex mixtures of ores, residues, concentrates, slags, and wastes. The subject invention can be used in remediation processes to remove unwanted materials or may be used in mining processes to recover valuable minerals. Specifically exemplified herein is the use of certain triglycerides, esters of fatty acids and long chain alcohols, and essential oils of both terpene and aromatic chemistries. Any of these oils may be used alone, in mixtures of these oils, or in combination with other collectors.

In the method aspect of the invention, the method includes the steps of (1) providing an aqueous slurry of the mineral sulfide-containing or metal-containing material, (2) adding a selective collector to the slurry, the collector comprising at least one oil selected from the group consisting of (a) a natural oil or synthesized oil comprising triglycerides containing fatty acids of only 20 carbons or less, or an ester made from a fatty acid and an alcohol; and (b) an essential oil; (3) selectively floating the mineral sulfide; and, then (4) recovering the mineral.

In the collector aspect of the invention, a collector is provided for beneficiation of sulfide minerals or precipitates from ores, concentrates, residues, tailings, slags, or wastes is provided. The collector includes at least one sulfurcontaining sulfide mineral flotation promotor; and at least one oil selected from the group consisting of (1) a natural or synthesized oil comprising at least one triglyceride, or at least one ester made from a fatty acid and an alcohol; or (2) an essential oil.

Preferably the mineral sulfide-containing material is selected from the group consisting of chalcocite, chalcopyrite, bornite, galena, sphalerite, pentlandite, molybdenite, and other sulfide minerals containing silver, gold, platinum, palladium, iridium, rhodium, and osmium, either in the crystal structure or in association as an independent mineral species, and combinations thereof.

25

30

This material may be derived from ores, concentrates, precipitates, residues, tailings, slag, or wastes.

Alternatively, the method may be carried out in the same steps except acting upon metallic species such as gold, silver, copper, palladium, platinum, iridium, osmium, rhodium, and ruthenium by froth flotation in the presence of a collector. The metallic species may be from material derived from any ore, concentrate, residue, tailings, slag, or waste.

The oils used according to the subject invention can be readily obtained and used by a person trained in the teaching of this patent. The natural oils identified in this invention are obtained directly or indirectly from plants or animals.

In a specific embodiment, the process of the subject invention can comprise the following steps:

- a) pulverizing a mineral-containing material to appropriate fine-sized particles;
- b) mixing the pulverized particles with water to produce a slurry;
- c) agitating the mixture and adjusting its pH as necessary to produce a conditioned slurry;
- d) adding a sufficient amount of a naturally occurring oil or a mixture thereof to the slurry with conditioning to render the surfaces of the particles containing the desired minerals hydrophobic;
- e) agitating the resultant slurry under conditions and for a time sufficient to obtain a sufficiently homogenous mixture;
- f) adding a frothing agent to the homogenous mixture in an amount sufficient to cause frothing of the homogenous mixture upon injecting air or other gases;
- g) injecting air or other gas into the mixture to form bubbles in the resultant composition in an amount and under conditions sufficient to cause the hydrophobic particles to become attached to the bubbles and cause the resultant bubbles with attached particles to rise and form froth; and
- h) separating the froth fraction and recovering the desired mineral.

In a specific embodiment of the subject invention, the mixture produced in Part (b) will have between about 1% to 75% solids by weight. In Part (c) of the

process, the pH may be adjusted to anywhere in the 5 to about 13 pH range, with particularly good results in the 7 to 10 pH range. With regard to Part (d), a natural oil, such as cottonseed, may be used as the only collector or it may be used with other collector compounds. In a preferred embodiment, the concentration of the natural oil used according to the subject invention can range from about 1 gram per ton of ore to about 1,000 grams per ton of ore. The temperature range of the use of these compounds goes from 5 to 75 degrees Centigrade with most normal operations in the 15 to 40 degree Centigrade range. Preferably, the flotation conditions should be kept mild enough to prevent significant disassociation of the triglycerides, or other components, contained in the natural oils into fatty acids, and to prevent the subsequent saponification into fatty acid soaps. The selectivity of the flotation when using oils according to this invention is evidenced by the selective recovery of the minerals, and substantiates this observation. A skilled artisan trained in the teachings of this patent can adjust the concentration and conditions to achieve optimization of the process for a particular mineral once a collector compound has been identified as useful for that mineral species.

Gold, silver and platinum metal group metals (platinum, palladium, rhodium, and iridium) are often associated with sulfide minerals. These metals may be also effectively collected by the oils described in this patent either alone or in combination with another collector.

The invention is specifically exemplified for the recovery of certain sulfide minerals. A skilled artisan, having the benefit of the instant disclosure, could readily adapt the process for the recovery and/or removal of a broad range of sulfide minerals, silver, gold or platinum group metals.

It was found, however, that there are unexpected benefits of using certain organic compounds containing no sulfur, no nitrogen and no phosphorous for selective froth flotation of certain sulfides. These molecules contain oxygen in a variety of functional groups such as triglycerides and esters. These groupings occur in many natural oils, such as cottonseed, corn, palm, safflower, jojoba, and clove. Surprisingly many of these oils are non-toxic and are used in foodstuffs

5

throughout the world. The oils run in price from \$0.40 per/kilogram to over \$125 per/kilogram.

It was also unexpected that blends of these oils with each other and with standard collectors frequently exhibit synergistic or enhanced effects, in that mixture of a sulfur containing collector with a non-sulfur containing collector may perform better than either of the components alone, and mixtures of multiple components may perform better than a two-component blend. This invention is uniquely suited to such mineral species as chalcocite, chalcopyrite, bornite, galena, and sphalerite. However, sulfur species such as pyrite are not as readily floated by these non-sulfur-containing collectors.

Most natural plant and animal oils are triglycerides of mixtures of fatty acids. A triglyceride is simply the reaction product of a carboxylic acid and glycerol. The general formula for a triglyceride is shown in Figure 1. Triglycerides are generally made from fatty acids with typically 10 to 24 carbon atoms and from 0 to 3 double bonds in their chains. Some triglycerides are made from hydroxyl fatty acids that have an alcohol group somewhere in the chain. An example of this is castor oil. Another oil, oiticicia, has three double bonds and a ketone functionality in its composition.




Figure 1. General Formula for Triglyceride

Saturated or highly saturated oils, such as coconut oil, contain triglycerides made from a zero or a low percentage of fatty acids with double bonds. Linseed oil contains a high percentage of linolenic acid oil, an 18 carbon fatty acid with

three double bonds (expressed as $C_{18\,3}$). The composition of some common natural oils is shown in Table 1. The iodine value is a measure of the unsaturation of the oil. The saturated fat column is for the percentage of saturated fat when the exact chain length is unspecified. A given type of oil composition will vary with the variety of plant, the growing conditions and the treatment of the oil after pressing. For instance there are both high and low erucic acid ($C_{22\,1}$) species of canola oil. Some canola oil is also hydrogenated (hydrogen reacted with the double bonds) before being sold.

It was unexpectedly found, however, that oils containing triglycerides that have fatty acids with 20 carbon atoms or less, perform much better than oils, such as canola oil, that contain triglycerides with fatty acids having 22 carbons or more, such as erucic acid ($C_{22\,1}$). Moreover, since oils containing triglycerides of fatty acids with twenty carbon atoms or less do not contain free fatty acids, they do not behave as either fatty acids or soaps of fatty acids. The selective nature of these oils in flotation was surprising because fatty acids and fatty acid salts (i.e., soaps) are very non-selective.

| | | | | | | | | | | | | | - | | | | |
|------------|--------------|----------------|--------|---------------------|--------|-------------|--------|-----------------------|------|-----------|---------|-----------------|---------------|------------|---|---------|---------|
| | | Fatty Acids in | sin ? | Friglyceride | eride | | | | | | | | | | | | |
| | Iodine | Saturated | | | | | | | | | | | | | | , | Alcohol |
| Турс | Value | Fat | C6:0 | C8:0 | C10:0 | C12:0 | C14:0 | C16:0 | | C18 1 | C18:2 | C183 | C20.0 | C20:1 | C18·0 C18 1 C18:2 C18 3 C20.0 C20:1 C22:0 C22 1 C18 1 | 222 1 (| 218 1 |
| Coconut | 6-11 | 1 | 9.4 | 5.2 | 5.6 | 47.0 | 19.4 | :7.5 | 4.3 | 4.3 | 1.8 | | 10 | <u> </u> | | ļ | |
| Palm Oil | 44-58 | | | : ! | : | | 2.0 | .42.0 | | 42.0 1100 | 100 | , | : | | , I | | |
| typical | | | | | | | | | | | | | | | | | |
| Ölive | 75-94 | : | | ! ! ! | | | : i | | 75.0 | 10.0 | | | : | | : | | |
| Castor | 82-92 | 82-92 | ! ! | ! ! . | ! ! | ! | : | 1.0 | 7.0 | 3.0 | | | : | : | : | - | 0 88 |
| Apricot | 81-123 | , | | <u> </u> | i i | : | | | 5.5 | | 27.0 | <u>.</u> | : . | ! | | | |
| Corn Öil | 103-133 | | | 1 | | | 0.2 | 11.8 | | 24.1 | 617 | . <i>7</i> .0 | <u>:</u> : | i | | • | |
| Cottonseed | 103.9 | | | ļ | | | 1.4 | | 3.3 | | 42.9 | | | | : | | |
| Soybean 1 | 120.9 | 12.0 | | į į | : | | | | | | 250 | 2.9 | : | ļ | | | |
| Soybean 2" | 124.9 | 13.2 | | ! ! ! | | 1 | | : | : | : | ``49̈.1 | 36 | : | : : | | | |
| Soybean 3 | 127-140 12.5 | 12.5 | | <u>.</u> | : | : | : | | : | | 52.8 | .89 | : | | | | |
| Sunflower | 128 | | | ļ | · · | : | : | .e.o | .4. | | 643 | | : | | \ : : : | | |
| Linseed | 170-204 | : | | į | | ; : : | ! | 5.5 | 3.5 | | 1153 | 57.0 | ! : | | ; ! | | |
| Tung | | | | | | ! ! | | | | • | | 85 | ! ! : | ! ! | : | • | |
| Avocado | | | | | | | | : : : : : | :14 | 70 | 15 | . . | : | | , [| • | |

Other sources of triglycerides are animal oils. Commercially available animal oils have a limited range of unsaturation values. A highly unsaturated lard oil will have triglycerides containing 46% $C_{18\,1}$ (oleic acid), 15% $C_{18\,2}$ (linoleic acid), 1% $C_{18\,3}$ (linolenic acid), and 62% saturated fatty acids.

There are some unique natural oils. Sperm whale oil is esters made from long chain fatty acids and long chain fatty alcohols instead of esters of the fatty acid and glycerol as in triglycerides. Both the fatty acid and long chain alcohol usually contains at least 1 double bond. Sperm whale oil is of course no longer available due to whaling restrictions. However, its replacements, jojoba oil (vegetable) and orange roughy oil (fish), have the same basic chemistry as sperm whale oil. The only differences between them are in the carbon numbers (chain length) of the various components of the oils.

Chemical manufacturers can synthesize a long chain ester from a fatty acid and a long chain alcohol. One example of a "synthesized oil" or "synthetic oil" is 2-butyloctyl oleic acid ester. This compound contains one unsaturated site in the fatty acid molecule. The carbon numbers of the largest fractions of these oils are shown in Table 2.

| Table 2. Carbon N Oils | umbe | rs of N | Aajor | Comp | onents | of Sp | ecialt | У |
|-------------------------------|--------------------------------|---------|---------|--------|--------|-------|--------|------|
| | % (| of Mat | erial o | of Spe | cified | Carbo | n Nui | nber |
| Oil | 30 | 32 | 34 | 36 | 38 | 40 | 42 | 44 |
| Sperm Whale | 21 | 23 | 20 | 12 | | | | |
| Jojoba | | | | | 6 | 31 | 50 | 8 |
| Orange Roughy | Orange Roughy 11 16 25 23 15 5 | | | | | | | |
| 2-butyloctyl oleic acid ester | | 100 | | | | | | |

Preferably, the natural oils used in this invention include triglycerides that contain only fatty acids having a carbon number less than 20. Also, it is preferred that the triglycerides include an alcohol, an ether, an aldehyde, or a ketone functional group, or an aromatic group. A preferred group of natural oils includes cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, castor, cod liver, tung, oiticicia, apricot, sunflower, pistachio,

5

herring, and coconut oils. A more preferred group of natural oils includes cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, castor, cod liver, tung, and oiticicia. A still more preferred group of natural oils includes cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, and castor oils. An even more preferred group of natural oils includes cottonseed, corn, linseed, rice bran, safflower, and soybean. The most preferred natural oil is cottonseed oil.

Another class of naturally occurring oils is called "essential oils" or "volatile oils." These are fragrant oils derived from various plant species. Since ancient Egyptian times, they have been used for their fragrance and reputed medicinal properties. The chemistry of most of these compounds is based on either terpene chemistry or aromatic chemistry.

Terpene chemistry is defined as compounds that can be assembled from two or more moles of isoprene (C_5H_8) and the alcohol, aldehyde, and ketone derivatives of such compounds. A terpene compound can be defined as a monoterpene, sesquiterpene, or diterpene compound based on whether it contains 2, 3, or 4 isoprene units, respectively. Within each of these classifications the compounds can be further defined as being acyclic, monocyclic, bicyclic or tricyclic depending on whether the terpene contains, respectively, 0, 1, 2, or 3 ring structures (only diterpenes are tricyclic). Tricyclic diterpenes are generally solids.

Aromatic chemistry for essential oils is the chemistry of derivatives of benzene. The two most common aromatic components of essential oils are cinnamaldehyde and eugenol. These are obtained from cinnamon and clove oil. Their structures are shown in Figure 2.




Figure 2. Structure of Eugenol and Cinnamaldehyde

Most essential oils have one single major terpene or aromatic component or are a mixture of closely related terpenes or aromatics. Table 3 shows the composition of some representative essential oils. Note that any particular oil's composition can vary with variety, weather, etc.

| Table 3. Maj | or Constituent of Rep | presentative Es | | |
|--------------|-----------------------|-----------------|------|----------------------------|
| | | | Majo | r Component |
| Oil | Plant Source | Name | % | Chemical Family |
| Citronella | Cymbopogon | Citronellal: | 33 | Aldehyde and |
| | winterianus | Citronellol: | 16 | Alcohols of acyclic |
| | | Geraniol: | 24 | monoterpene |
| Limonene | Citrus (Orange) | Limonene | 95 | Monocyclic monoterpene |
| Eucalyptus | Eucalyptus globus | Cinole | 90 | Bicyclic monoterpene ether |
| <u> </u> | G 11 1 | 3.4: | -00 | |
| Sandalwood | Sandalwood | Mixture | 80 | Sesquiterpenes |
| Clove | Clove | Eugenol | 85 | Aromatic |

Preferably, the essential oils used in the method of this invention include either a terpene compound or an aromatic compound. More preferably, the essential oil includes a terpene derivative having a functional group selected from an alcohol, an ether, an aldehyde, or a ketone. Specific preferred essential oils include limonene, citronella, eugenol, eucalyptus globus, camphor, and clove oil. A more preferred group of essential oils includes limonene and citronella.

As work with the triglycerides, esters and alcohols have indicated, other oxygen-containing compounds such as aldehydes, ketones, and ethers of sufficient

bat at at that thou had rath are ill that the at that with

10

carbon number to be water-insoluble function as collectors for sulfide minerals. These compounds may or may not have carbon-carbon double bond(s).

The literature has shown that emulsified collectors can give better results than unemulsified collectors. Emulsification should also allow the combining of inexpensive water-soluble xanthates and sodium sulfide into the oils. Other water-soluble collectors that may be amenable to emulsification into oil include sodium dithiophosphates and mercaptobenzothiazole.

The invention also includes the use of the plant and animal oil collectors blended with known commercial collectors. Commercial collectors are also known as "flotation promotors" and are identified herein as "sulfur-containing flotation promotors." These common commercial promotors are usually separated into two classes of chemicals based on their water solubility. Water soluble sulfur containing collectors, or promotors, used in the froth flotation of sulfide minerals include such well-known collectors as xanthates and dithiophosphates. These are usually used as sodium or potassium salts of the respective organic acids. An example of a water-soluble collector would be sodium isopropyl xanthate. The other class of sulfur containing collectors would be water insoluble collectors. These collectors are generally referred to as oily collectors, because they are liquids that are insoluble in water. These collectors include thionocarbamates, mercaptans, organic sulfides, and the zinc salts of dithiophosphates. Even though these compounds are chemical reaction products, they are called oils.

Another grouping of collectors commonly used in froth flotation of substances such as coal, sulfur, and molybdenite are petroleum-based products that are truly oils. These oils generally consist of kerosene, vapor, diesel, fuel, turbine, light cycle, and carbon black oil. These petroleum oils are generally called "extender oils" and generally exhibit poor collecting ability and very poor selectivity when used by themselves. To distinguish these "petroleum-based collectors" from other described collectors, the term "oily collector" used in this text means a synthesized organic chemical compound containing sulfur such as the group of "sulfur-containing flotation promotors" described above.

5

10

is at a trade from final with the little trade from that with all the final than that are that with all the final than that are that with

25

10

This invention also includes the use of any of these aforementioned natural, synthetic or essential oils in combination. The essential oils are found to be very potent collectors. As such they are ideally suited for use in small amounts in combination with other oils or with other sulfide-containing flotation promotors. Good results have been obtained when using the essential oils in amounts of less than 10% by weight blended with other collectors. Preferably, less than 2% by weight is used.

Also, any of the natural oils including the higher carbon fatty acid-containing triglycerides, and in particular, the preferred natural oils alone or in combination with other preferred oils, may be used blended with any number of sulfur-containing flotation promotors. In such blends, the natural oils make up preferably between 20% and 80% by weight of the blend, and the flotation promotors make up preferably between the remaining 80% and 20% by weight of the blend. Optionally, a frother may be added to that blend, preferably in an amount between about 10% and 40% by weight of the composition. Frothers are commercially available compositions that are used to develop a froth or foam on top of a slurry that has been aerated. A particular suitable frother is one such as that sold by NALCO under the designation 9743. Methyl isobutyl carbonol (MIBC), also known as methyl amyl alcohol, is one of the most widely used frothers in the mining industry.

The collectors and blends of collectors in accordance with the methods of this invention can be used in standard froth flotation processes known by those skilled in the art and modified by the teachings of this patent as illustrated in the following examples.

EXAMPLES

The following are examples that illustrate procedures for practicing the invention. These examples should not be construed as limiting the invention, but are provided to further illustrate the teachings of the invention. All percentages are by weight and all collector mixture proportions are by volume unless otherwise noted.

5

Example I.

This example is the effectiveness of cottonseed oil as a collector for molybdenite and chalcopyrite. The ore had a head grade of 0.259% Cu and 0.0064% Mo. The ore charge of 1.0 kilogram was ground at 60% solids to 60% passing (P60) a 150 micron (100 mesh) screen. The ground ore slurry was adjusted to a pH of 10.5 with lime. The ore was ground with 10 gram/ton (0.020 pound/ton) of secondary collector. A Denver laboratory flotation machine was used. The ore slurry charge was diluted with water to 29 percent solids, and 6 grams per ton of the main collector, sodium ethyl xanthate, and 25 gram/ton (0.05 pound/ton) of the OrePrep F-533 frother were added. The flotation was carried out for a total of six minutes with a two minute break for conditioning at the halfway point. During the conditioning break, 4 gram/ton dosage of the sodium ethyl xanthate was added.

The cottonseed oil was used by itself in place of the standard decant oillight cycle oil-mercaptan (tertiary dodecyl mercaptan) secondary collector. Also, a 33% each mixture of cottonseed oil, zinc di (1,3 dimethylbutyl) dithiophosphate, and the tertiary dodecyl mercaptan was tested. For comparison a 33% each mixture of decant oil, the zinc dithiophosphate and the mercaptan was tested. The dosage of the main and secondary collector was 10 grams collector per ton of ore (g/t) for all tests. As shown in Table 4, cottonseed oil by itself improved the recovery of both molybdenum recovery and copper grade over the standard collector. The cottonseed mixture had a similar copper recovery as the decant oil mixture while improving copper grade.

| Table 4. Chalc | opyrite Ore containing | MoS ₂ Flota | ation | |
|----------------|------------------------|------------------------|-------|----------|
| Main | Secondary | Cu | Cu | Mo |
| Collector | Collector | Recovery | Grade | Recovery |
| Xanthate | Cottonseed Oil | 94.5% | 3.68 | 82.2% |
| Xanthate | Standard | 93.9% | 2.96 | 79.1% |
| Xanthate | Decant Oil Mixture | 97.0% | 2.85 | 87.3% |
| Xanthate | Cottonseed Mixture | 96.2% | 4.25 | 83.7% |

Example II.

This example shows that cottonseed oil can be used to collect some galena (PbS). It can be used either alone in place of the main collector, sodium isopropyl xanthate, or in a mixture with a mercaptan (tertiary dodecyl mercaptan) collector in place of the main collector.

The ore was ground to a P80 of around 240 microns. The ore charge was 2.0 kilograms and had a head assay of 70 gram/ton Ag, 0.70% Pb, and 1.32% Zn. Fifty gram/ton of zinc sulfate and fifteen gram/ton of dextrin were added to the grind. The flotation was conducted in a Denver laboratory flotation machine with a 5-liter cell. The float was conducted at the natural pH of the ore, 7.5 to 8. Before the first float, the slurry was conditioned with 30 gram/ton of the collector and 80 gram/ton of the frother for two minutes. The ore was floated for three minutes, then conditioned with 10 gram/ton collector and 16 gram/ton of frother. The results are shown in Table 5, and demonstrate the enhanced effects for a blend of the natural oil and the mercaptan flotation promotor in comparison to the use of each alone.

| | Gra | .de | R | ecovery | into Pb Co | oncentrate | ; |
|-----------------|------|------|--------|---------|------------|------------|-------|
| Collector | Pb | As | Weight | Ag | Pb | Zn | Fe |
| Xanthate | 2.18 | 1.23 | 23.6% | 74.9% | 79.5% | 18.0% | 82.9% |
| Cottonseed Oil | 6.38 | 0.49 | 5.1% | 51.4% | 50.6% | 17.2% | 15.7% |
| Mercaptan | 7.08 | 0.76 | 5.7% | 42.9% | 49.1% | 19.3% | 14.7% |
| 50% Mercaptan + | 3.21 | 0.78 | 13.8% | 53.9% | 64.5% | 21.1% | 38.6% |
| 50% Cottonseed | | | | | | | |

The ore was then conditioned for two minutes with 125 gram per ton of copper sulfate. A further 10 gram/ton of collector and 32 gram/ton of frother were added and conditioned in for two minutes. The first zinc float was conducted for three minutes. Finally, another 50 gram/ton of frother was added. The results of these zinc floats are shown in Table 6.

| Table 6. Lead-Zinc- | Silver Sul | fide Ore l | Flotation | n for Zinc | | |
|---------------------|------------|------------|-----------|------------|------------|-------|
| | Grade | R | ecovery | into Zn C | oncentrate | 2 |
| Collector | Zn | Weight | Ag | Pb | Zn | Fe |
| Xanthate | 8.63 | 9.5% | 16.5% | 7.1% | 42.1% | 6.3% |
| Cottonseed Oil | 9.13 | 6.6% | 13.9% | 20.4% | 48.1% | 10.1% |
| Mercaptan | 12.20 | 5.6% | 16.7% | 19.8% | 46.4% | 6.2% |
| 50% Mercaptan + | 11.54 | 5.0% | 9.1% | 7.1% | 45.6% | 3.8% |
| 50% Cottonseed | | | | | | |

Example III.

Apricot, sunflower, pistachio, cottonseed, and jojoba oils were tested on chalcopyrite ore containing molybdenum sulfide. The head assays of the ore were 0.704% Cu and 0.0119% Mo. The ore charge of 2.0 kilograms was ground at 65% solids to 90% passing a 212 micron (65 mesh) screen. The ore charge was diluted with water to 27% solids and placed in a Denver laboratory flotation cell. The ore was conditioned for two minutes by agitation at 2000 rpm. The ore was floated for one minute by allowing air to be drawn in by the impeller. Subsequently, the ore was conditioned for two minutes, floated for two minutes, conditioned for two minutes, and finally floated for three minutes. The standard collector is a mixture

10

The standard reagent addition is as follows. Enough lime is added to the ball mill to adjust to a pH of 10.4. At the same time, 7.7 gram/ton (0.0154 pound/ton) of the standard collector or oil being tested, 7.5 gram/ton (0.0150 pound/ton) of diesel fuel are added. During the first conditioning step, 20 g/t (0.040 lb/ton) of frother is added. During the second conditioning step, 8 g/t (0.016 pound/ton) of sodium isopropyl xanthate (SIPX), 2.5 g/t (0.005 lb/t) of frother, and 5 g/t (0.010 lb/ton) of the standard reagent or oil are added. During the third and final conditioning step, 4g/t (0.008 lb/ton) of SIPX, (0.005 lb/t) of frother, and 5 g/t (0.010 lb/ton) of the standard reagent or oil are added.

The results for the final combined concentrates are presented in Table 7, sorted by copper recovery. Every oil listed above the sunflower oil gave essentially the same copper and molybdenum recovery as the standard reagent.

| Table 7. Chalcopy | rite Ore c | ontaining M | oS ₂ Flotation |
|-------------------|------------|-------------|---------------------------|
| | Cu | Recovery | Recovery |
| Tested Oil | Grade | Cu | Mo |
| Standard | 5.04 | 92.4% | 84.6% |
| Cottonseed | 3.62 | 91.9% | 84.4% |
| Pistachio | 2.92 | 91.9% | 88.3% |
| Sunflower | 2.97 | 91.8% | 84.7% |
| Apricot | 2.70 | 91.7% | 79.6% |
| Jojoba | 2.69 | 91.5% | 86.5% |

Example IV.

There are two primary types of cotton in the United States, Pima long staple cotton and short staple cotton. The oils derived from both were tested on a copper-molybdenum ore with a head grade of 0.663% Cu and 0.0134% Mo. The ore was floated as in Example III. The results of the test are shown in Table 8.

15

| Table 8. Comparison of | Cottons | eed Oils | |
|------------------------|---------|----------|-------|
| | Grade | Reco | overy |
| Cottonseed Oil Source | Cu | Cu | Mo |
| Pima Long Staple | 5.36 | 94.8% | 84.7% |
| Short Staple | 5.23 | 90.9% | 83.9% |
| Standard Collector | 5.76 | 90.6% | 82.1% |

Example V.

This example shows the selectivity of cottonseed against calcite. Pure calcite crystals were crushed and screened for the fraction passing a 355 micron (42 mesh) screen. A sample size of 812 grams was obtained. The sample was slurried in a 2.5 liter cell of a Denver laboratory flotation machine. The ore was conditioned for two minutes with 123 gram/ton cottonseed oil and 26.2 gram/ton frother. The slurry was floated for two minutes and then conditioned again for two minutes with 61.5 gram/ton cottonseed oil and 10.5 gram/ton frother. The slurry was floated again for two minutes. During both flotations, a slime-stabilized froth was obtained. The results of the test are shown in Table 9.

Table 9. Recovery of Calcite from Pure Calcite Sample Float

| Concentrate | Recovery |
|-------------|----------|
| 1 | 10.70% |
| 2 | 1.88% |
| Combined | 12.58% |

Example VI.

15

20

This example shows cottonseed's selectivity against silica. Pure quartz crystals were crushed and screened for the fraction passing a 150 micron (100 mesh) screen. A sample size of 1000 grams was obtained. The sample was slurried in a 2.5 liter cell of a Denver laboratory flotation machine. The ore was conditioned for two minutes with 123 gram/ton cottonseed oil and 26.2 gram/ton frother. The slurry was floated for two minutes and then conditioned again for two minutes with 61.5 gram/ton cottonseed oil and 10.5 gram/ton frother. The slurry was floated again for two minutes. During both flotations, a small amount

of slime-stabilized froth was obtained. The total recovery was less than 2% of the total silica.

Example VII.

A number of triglyceride, specialty, and essential oil collectors were tested on chalcopyrite ore containing molybdenite. The head assays of the ore were 0.579% Cu and 0.010% Mo. The ore charge of 1.0 kilograms was ground at 65% solids to 90% passing a 212 micron (65 mesh) screen.

The standard flotation procedure was as follows. Enough lime (0.9 grams) was added to the grind for the flotation slurry to have a pH of 10.4. The following reagents were added to the grind, 5.5 gram/ton of the standard thiophosphate copper collector, 7.7 gram/ton of diesel fuel, molybdenum collector, and 10 gram/ton of Nalco 9743 frother. A Denver laboratory flotation cell was used. The ore charge was diluted with water to 27% solids. The ore was floated for two minutes. The slurry was then conditioned for one minute with 6.5 gram/ton of frother and 8 gram/ton of sodium isopropyl xanthate. The slurry was floated for two more minutes, then conditioned for one more minute with half of the dosage of the previous conditioning step, and floated for a final three minutes. All concentrates were collected into one pan for a single concentrate for the whole flotation.

The oils were tested by using them as the only collector. Only lime, 10 grams/ton of frother and 24 gram/ton of the oil being tested were added to the grind. No xanthate or other collector was added to the conditioning step, only the listed frother dosage.

The results for the triglyceride tests are presented in Table 10. As tested, no triglyceride was as good a collector for copper as the standard collector system. Due to the low molybdenum grade of the head ore, molybdenum recoveries often have a large standard deviation in repeated tests on the same ore. Generally, compounds that show a 5% better recovery than another compound in single tests will have an average higher molybdenum recovery on multiple tests.

O S and the second seco

5

20

| Table 10. Results of Triglycerides Flotation | | | | | | | | | |
|--|--------|--------|----------|-------|-------|------|-------|-------|-------|
| | Number | of Dou | ble Bond | Assay | y Con | Reco | very | | |
| Collector | 0 | 1 | 2 | 3 | 5 | Cu | Mo | Cu | Mo |
| Standard | | | | | | 4.94 | 0.071 | 88.3% | 79.2% |
| Cottonseed | 27 | 30 | 43 | 0 | | 3.82 | 0.063 | 87.3% | 84.7% |
| Lard Oil | 31 | 48 | 12 | 1 | | 5.61 | 0.094 | 85.4% | 80.9% |
| Corn | 13 | 29 | 57 | 1 | | 5.64 | 0.084 | 85.3% | 81.6% |
| PBO Lard | 38 | 46 | 15 | 1 | | 5.01 | 0.082 | 85.2% | 83.4% |
| Linseed | 9 | 19 | 15 | 57 | | 4.91 | 0.080 | 85.1% | 80.2% |
| Tung | | | | 85 | | 5.71 | 0.088 | 85.1% | 78.2% |
| Menhaden | 18 | 18 | 37 | 13 | 14 | 8.52 | 0.144 | 84.5% | 80.7% |
| Safflower | 21 | | 79 | | | 3.75 | 0.071 | 84.2% | 83.9% |
| Herring | 14 | 49 | | | 23 | 7.88 | 0.122 | 84.0% | 78.9% |
| Avocado | | 70 | 15 | 1 | | 6.38 | 0.111 | 84.0% | 85.0% |
| Oiticicia 1 | | | | 75 | • | 4.63 | 0.074 | 83.8% | 78.2% |
| Soybean | 16 | 24 | 54 | 7 | | 5.14 | 0.094 | 83.7% | 80.2% |
| Peanut | 15 | 45 | 40 | 0 | | 8.33 | 0.142 | 82.8% | 81.3% |
| Castor ² | 12 | 88 | | | | 7.20 | 0.122 | 82.2% | 77.9% |
| Canola | 8 | 59 | 22 | 11 | | 8.43 | 0.130 | 82.0% | 80.6% |
| Rice Bran | 64 | 2 | 32 | 2 | | 8.02 | 0.142 | 81.5% | 78.7% |
| Coconut | 94 | 4 | 2 | - 1 | 1 1 0 | 7.38 | 0.133 | 74.1% | 75.0% |

Notes: 1 Has a ketone functionality; 2 has a alcohol functionality

The results of the testing of specialty and essential oils are shown in Table 11. The bicyclic compounds equaled or surpassed the standard for copper and molybdenum recovery.

| | | | ade | Recovery | |
|--------------------|------------------|------|-------|----------|-------|
| Oil | Chemical Family | Cu | Mo | Cu | Mo |
| Eucalyptus globus | Bicyclic Ether | 5.25 | 0.088 | 88.8% | 87.8% |
| Standard | Thiophosphate | 4.94 | 0.071 | 88.3% | 79.2% |
| Camphor | Bicyclic Ketone | 5.32 | 0.082 | 87.9% | 85.7% |
| 2-butyloctyl oleic | Mono-unsaturated | 5.62 | 0.092 | 87.3% | 86.0% |
| acid ester | Ester | | | | |
| Jojoba | Di-unsat. Ester | 5.11 | 0.088 | 85.7% | 84.8% |
| Limonene | Cyclic | 4.87 | 0.082 | 84.7% | 81.2% |
| | monoterpene | | | | |

Example VIII.

A number of triglyceride, specialty, and essential oil collectors were tested on a molybdenum sulfide ore. The head assay of the ore was 0.0638% Mo. The ore charge of 1.0 kilogram was ground at 65% solids to 90% passing a 425 micron (35 mesh) screen.

The flotation procedure is as follows. The 100 gram/ton of oil was added to the grind. A Denver laboratory flotation cell was used. The ore charge was diluted with water to 27% solids. To the two minute conditioning step, 40 g/t frother was added. The ore was floated for 1 minute. The slurry was then conditioned for one minute, floated for two minutes, conditioned for one minute, and finally floated for six minutes. Each concentrate was collected separately and assayed separately. One test was conducted with frother alone to test the free flotability of the ore. The standard collector used at the mine was diesel fuel.

The results of the flotation of molybdenum sulfide for the triglycerides are shown in Table 12. The percentage of fatty acids in the triglycerides with the shown number of double bonds is listed. All of these oils did better than the free-flotability test.

| Table 12. Results of Triglycerides on Molybdenum Recovery | | | | | | | | | | |
|---|-----|---------------------------|----|----|-----------------------------|-------|----------|-------|----------|--|
| | Nun | Number of Double Bonds, % | | | 1 st Concentrate | | Overall | | | |
| Collector | 0 | 1 | 2 | 3 | 5 | Grade | Recovery | Grade | Recovery | |
| Oiticicia 1 | | | | 75 | | 2.19 | 68.9% | 0.892 | 72.5% | |
| Peanut | 15 | 45 | 40 | 0 | 0 | 1.15 | 57.9% | 0.602 | 71.9% | |
| Coconut | 94 | 4 | 2 | | | 9.42 | 60.1% | 1.355 | 67.5% | |
| Menhaden | 18 | 18 | 37 | 13 | 14 | 4.14 | 59.0% | 0.938 | 66.8% | |
| Pfau 1JJ | 31 | 48 | 12 | 1 | | 3.11 | 54.9% | 0.736 | 64.9% | |
| Rice Bran | 64 | 2 | 32 | 2 | | 2.21 | 48.7% | 0.763 | 61.4% | |
| Cottonseed | 27 | 30 | 43 | 0 | | 4.44 | 51.1% | 1.084 | 60.1% | |
| Tung | | | | 85 | | 3.57 | 54.8% | 0.989 | 59.1% | |
| Sunflower | 12 | 24 | 64 | | | 3.21 | 48.8% | 0.736 | 58.1% | |
| None | 0 | 0 | 0 | 0 | 0 | 3.38 | 53.9% | 0.870 | 57.8% | |
| Corn Oil | 31 | 48 | 12 | 1 | | 4.15 | 54.2% | 1.013 | 57.7% | |
| Linseed | 9 | 19 | 15 | 57 | | 2.61 | 48.4% | 0.570 | 56.2% | |
| Diesel | 0 | 0 | 0 | 0 | 0 | 1.38 | 53.3% | 0.565 | 56.1% | |

Notes: Has a ketone functionality

The results of specialty and essential oils are shown in Table 13. All of these oils did better than the free-flotability test.

| Table 13. Results of Testing Specialty and Essential Oils on Molybdenite | | | | | | | | |
|--|--------------------|----------|-----------|---------|----------|--|--|--|
| | | First Co | ncentrate | Overall | | | | |
| Collector | Type | Grade | Recovery | Grade | Recovery | | | |
| 2-butyloctyl oleic | Mono-unsaturated | 0.73 | 71.6% | 0.589 | 80.2% | | | |
| acid ester ¹ | Ester | | | | | | | |
| Jojoba | Di-unsat. Ester | 0.96 | 68.5% | 0.507 | 78.1% | | | |
| Clove Oil | Aromatic | 2.08 | 73.5% | 0.817 | 77.9% | | | |
| limonene oil | Cyclic monoterpene | 2.24 | 75.0% | 0.902 | 76.7% | | | |
| Citronella | Acylic | 2.00 | 69.8% | 0.598 | 74.6% | | | |
| | monoterpenes | | | | | | | |
| Eucalyptus, globus | Bicyclic Ether | 2.77 | 67.0% | 0.759 | 71.6% | | | |
| Camphor | Bicyclic Ketone | 4.41 | 61.0% | 1.056 | 64.9% | | | |
| None | | 3.38 | 53.9% | 0.870 | 57.8% | | | |
| Diesel | | 1.38 | 53.3% | 0.565 | 56.1% | | | |

Note: Oil synthesized from natural products and used as a sperm whale oil replacement

In this example the synergistic effect of various oils and a sodium isopropyl xanthate is shown. A chalcocite ore with a head assay of 0.602% Cu and 0.016% Mo was used. The ore charge of 1.0 kilogram was ground at 65% solids to 90% passing a 212 micron (65 mesh) screen.

The standard flotation procedure is as follows. Enough lime (1.9 grams) was added to the grind for the flotation slurry to have a pH of 10.8. To this grind 30 g/ton (0.060 lb/ton) of either the standard collector, Cytec S-8399, believed to be a blend of dithiophosphate and thionocarbamate available from Cytec, Inc., Wayne, New Jersey, U.S.A., or the natural oil collector being tested was added. The grind charge was transferred to a Denver laboratory flotation cell. The ore charge was diluted with water to 27% solids. The ore was conditioned for two minutes with 20 gram/ton of Oreprep F-533, a blended alcohol frother. The ore was floated for three minutes. The slurry was then conditioned for three minutes with 10 gram/ton of frother and 1.5 gram/ton of sodium isopropyl xanthate (SIPX). The slurry was floated three more minutes. The concentrates were collected separately except for the avocado oil and Cytec S-8399.

The results are shown in Table 14. These results show that limonene oil has the best synergy with SIPX despite not collecting much chalcocite by itself as shown in the recovery in the first concentrate (1st Con). All the oils performed better as a secondary collector than the regular thiophosphate based Cytec S-8399.

5

The same same strain from the same strain of the same strain same

| Table 14. Results of Tests with Oils and SIPX | | | | | | | | | | |
|---|-------|----------|----------|-------|---------------------|----------|-----------|--------|--|--|
| | | Overall | *** | | 1 st Con | | | | | |
| | C | opper | Mo | C | opper | Mo | Calc Head | | | |
| Collector | Grade | Recovery | Recovery | Grade | Recovery | Recovery | Cu | Mo | | |
| Limonene | 5.50 | 92.2% | 71.7% | 2.02 | 9.98% | 59.00% | 0.599 | 0.0162 | | |
| Safflower | 5.23 | 92.2% | 68.2% | 1.11 | 6.26% | 55.24% | 0.604 | 0.0168 | | |
| Coconut | 5.77 | 92.1% | 72.2% | 1.95 | 8.67% | 49.50% | 0.608 | 0.0179 | | |
| Eucalyptus | 6.00 | 92.0% | 65.9% | 2.48 | 8.09% | 39.14% | 0.619 | 0.0154 | | |
| Avocado | 5.63 | 91.9% | 65.9% | | | | 0.660 | 0.0157 | | |
| Corn | 4.90 | 91.9% | 69.0% | 2.13 | 11.42% | 52.23% | 0.571 | 0.0164 | | |
| Cottonseed | 5.57 | 91.7% | 71.0% | 2.76 | 12.66% | 56.19% | 0.590 | 0.0165 | | |
| Tung | 4.83 | 91.2% | 67.1% | 1.39 | 4.61% | 42.21% | 0.604 | 0.0167 | | |
| S-8399 | 3.69 | 90.6% | 69.5% | | | | 0.599 | 0.0148 | | |

Example X.

In this example, the various combinations of oils and standard collectors are shown. A chalcocite ore with a head assay of 0.543% Cu and 0.014% Mo was used. The ore charge of 1.0 kilograms was ground at 65% solids to 90% passing a 212 micron (65 mesh) screen.

The standard flotation procedure was as follows. Enough lime (1.9 grams) was added to the grind for the flotation slurry to have a pH of 10.8. To this grind 30 g/ton (0.060 lb/ton) of either the standard collector, Cytec S-8399, or the natural oil collector being tested was added. The grind charge was transferred to a Denver laboratory flotation cell. The ore charge was diluted with water to 27% solids. The ore was conditioned for two minutes with 20 gram/ton of Oreprep F-533 frother. The ore was floated for three minutes. The slurry was then conditioned for two minutes with 1.5 gram/ton of sodium isopropyl xanthate (SIPX). The slurry was floated three more minutes.

The mixtures tested are shown in Table 15. The mercaptan used was tertiary dodecyl mercaptan. The zinc dithiophosphate used was zinc di- (1,3 dimethylbutyl) -dithiophosphate. The thionocarbamate used was n-ethyl, o-isopropropyl thionocarbamate.

The results of the flotation tests are summarized in Table 16. The results show that cottonseed interacts well with the mercaptan, zinc dithiophosphate and thionocarbamate collectors.

| Table 16. | Test res | sults for | Various N | Aixtures | |
|-----------|----------|-----------|-----------|----------|--------|
| | O | verall Re | esults | Calc | . Head |
| Collector | Grade | Cu | Mo | Cu | Mo |
| Mixture 3 | 4.48 | 90.4% | 72.1% | 0.532 | 0.0144 |
| Mixture 1 | 4.99 | 89.6% | 69.4% | 0.562 | 0.0144 |
| Mixture 2 | 5.48 | 88.8% | 67.8% | 0.544 | 0.0142 |
| S-8399 | 4.88 | 88.6% | 65.0% | 0.525 | 0.0137 |
| Mixture 4 | 5.75 | 88.1% | 67.9% | 0.583 | 0.0142 |

Example XI.

Pure mineral samples of chalcopyrite, chalcocite and galena were floated with cottonseed and limonene oils.

The flotation procedure was as follows: 500 gram charges of mineral were crushed to minus 1.7 millimeter (10 mesh) then ground with 50 gram per ton of collector to around 90% passing 212 micron (65 mesh). A charge was then placed in a Denver laboratory flotation cell with enough water to make the slurry 27% by weight solids. The slurry was then conditioned with 18 grams/ton of an alcohol frother for two minutes. The ore was floated for two minutes. The slurry was then conditioned for one minute and floated for three minutes. Each concentrate was collected and weighed separately. One test was conducted with frother alone to test the free flotability of the mineral. The results are shown below.

| | С | Chalcocite | | | Chalcopyrite | | |
|------------|-------|------------|-------|--------|--------------|--------|--|
| Collector | Con 1 | Con 2 | Total | Con 1 | Con 2 | Total | |
| None | | 1.20% | 1.20% | 4.90% | 3.31% | 8.20% | |
| Cottonseed | 2.51% | 1.87% | 4.38% | 58.75% | 5.74% | 64.49% | |
| Limonene | 3.59% | 2.05% | 5.64% | 19.15% | 4.70% | 23.85% | |

| | Galena | | | | |
|------------|--------|-------|--------|--|--|
| Collector | Con 1 | Con 2 | Total | | |
| None | 18.98% | 2.55% | 21.54% | | |
| Cottonseed | 90.95% | 5.57% | 96.52% | | |
| Limonene | 18.53% | 2.07% | 20.60% | | |

The cottonseed oil collected a good proportion of the pure mineral chalcopyrite. Comparing the results of cottonseed on chalcopyrite to the results of the "no collector" test shows that the cottonseed was responsible for collecting the chalcopyrite and that it is a better collector than the limonene oil.

Of course, it should be understood that changes and modifications can be made to the preferred embodiments described above without departing from the scope of the present invention. It is therefore intended that the foregoing detailed description be regarded as illustrative rather than limiting, and that it be understood that it is the appended claims including all equivalents, which are intended to define the scope of this invention.

WHAT IS CLAIMED IS:

- 1. A method for beneficiation of a mineral sulfide-containing material by froth flotation in the presence of a collector, the method comprising the steps of:
- a) providing an aqueous slurry of the mineral sulfide-containing material.
- b) adding a selective collector to the slurry, the collector comprising at least one oil selected from the group consisting of:
 - 1) a natural oil or synthesized oil comprising:
 - A) triglycerides containing fatty acids of only 20 carbons or less, or
 - B) an ester made from a fatty acid and an alcohol; and
 - 2) an essential oil;
 - c) selectively floating the mineral sulfide; and
 - d) recovering the mineral.
- 2. The method according to claim 1, wherein said mineral sulfide-containing material is selected from the group consisting of chalcocite, chalcopyrite, bornite, galena, sphalerite, pentlandite, molybdenite, and other sulfide minerals containing silver, gold, platinum, palladium, iridium, rhodium, and osmium, either in the crystal structure or in association as an independent mineral species, and combinations thereof.
- 3. The method according to claim 1, wherein said mineral sulfidecontaining material is derived from ores, concentrates, precipitates, residues, tailings, slags, or wastes.
- 4. The method according to claim 1, wherein the essential oil comprises at least one of a terpene compound or an aromatic compound.

5

20

- 6. The method according to claim 1, wherein said triglyceride further comprises a ketone, aldehyde, ether, or alcohol functional group(s)
- 7. The method according to claim 1, wherein the natural oil or the synthesized oil further comprises an aromatic functional group.
- 8. The method according to claim 1, wherein said collector further comprises a sulfur-containing sulfide mineral flotation promotor.
- 9. The method according to claim 8, wherein said oil and said sulfurcontaining sulfide mineral flotation promotor are emulsified.
- 10. The method according to claim 8, wherein said sulfur-containing sulfide mineral flotation promotor is selected from the group consisting of xanthates, thionocarbamates, dithiophosphates, mercaptans and combinations thereof.
- 11. The method according to claim 8, wherein said collector further comprises a frother.
- 12. The method according to claim 1, wherein said collector further comprises a frother.
- 13. The method according to claim 1, wherein said collector further comprises a petroleum based flotation promotor.
- 14. The method according to claim 1, wherein the natural oil is selected from the group consisting of cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, castor, cod liver, tung, oiticicia, apricot, sunflower, pistachio, herring, and coconut; and the essential oil is selected from

ind and the first time from the first of the first time from the f

5

25

the group consisting of limonene, citronella, eugenol, eucalyptus globus, camphor, and clove oil.

- The method according to claim 1, wherein said natural oil is 15. selected from the group consisting of cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, castor, cod liver, tung, and oiticicia; said synthetic oil is 2-butyloctyl oleic acid ester; and said essential oil is selected from the group consisting of limonene, citronella, eugenol, eucalyptus globus, camphor, and clove oil.
- The method according to claim 1, wherein the collector comprises a 16. natural oil selected from the group consisting of: cottonseed, corn, linseed, rice bran, safflower, soybean, avocado, jojoba, menhaden, lard, and castor.
- The method according to claim 1, wherein the collector comprises a 17. natural oil selected from the group consisting of: cottonseed, corn, linseed, rice bran, safflower, and soybean.
- The method according to claim 1, wherein the collector comprises 18. cottonseed oil.
- The method according to claim 1, wherein the collector comprises 19. an essential oil.
- The method according to claim 19, wherein the collector comprises 20. limonene or citronella.
- The method according to claim 1, wherein the collector comprises a 21. synthesized oil.
- The method according to claim 21, wherein the collector comprises 22. 2-butyloctyl oleic acid ester.
- The method according to claim 1, wherein the collector comprises a 23. blend of two or more of said natural oils, synthetic oils or essential oils.

5

Harth Ages After Some Bank MI

15

20

- 24. A method for beneficiation of a metallic species of gold, silver, copper, palladium, platinum, iridium, osmium, rhodium, and ruthenium by froth flotation in the presence of a collector, the method comprising the steps of:
- a) providing an aqueous slurry of a material containing the metallic species, the material being derived from any ore, concentrate, residue, slag, or waste,
- b) adding a selective collector to the slurry, the collector comprising at least one oil selected from the group consisting of:
 - 1) a natural oil or synthesized oil comprising:
 - A) triglycerides containing fatty acids of only 20 carbons or less, or
 - B) an ester made from a fatty acid and an alcohol; and
 - 2) an essential oil;
 - c) selectively floating the metallic species; and
 - d) recovering the metallic species.
- 25. A collector for beneficiation of sulfide minerals, precipitates, or metallic species by froth flotation from ores, concentrates, residues, tailings, slags, or wastes, the collector comprising:
- a) at least one sulfur-containing sulfide mineral flotation promotor;
 and
 - b) at least one oil selected from the group consisting of:
 - 1) a natural or synthesized oil comprising:
 - A) at least one triglyceride, or
 - B) at least one ester made from a fatty acid and an alcohol, and
 - 2) an essential oil.
- 26. The collector according to claim 25 wherein said flotation promotor is selected from the group consisting of xanthates, thionocarbamates, dithiophosphates, mercaptans and combinations thereof.

5

15

20

- 27. The collector according to claim 27 further comprising a frother.
- 28. The collector according to claim 28, wherein said frother is present in the amount of between 10 and 40% by weight of the collector.
- 29. The collector according to claim 25, wherein said essential oils are terpene based oils or aromatic oils and are present in an amount less than about 10% by weight of the collector.
- 30. The collector according to claim 25, wherein said oils are present in the amount of between 20 and 80% by weight of the collector, and said flotation promotors are present in the amount of between 80 and 20% by weight of the collector.
- 31. The collector according to claim 25, consisting essentially of at least one of said oils and at least one of said promotors.

ABSTRACT

This invention is directed to the use of non-sulfur containing compounds as collectors in the froth flotation of certain mineral sulfide and metallic compounds. These non-sulfur-containing compounds may be from natural sources, such as vegetable oils, or synthesized commercial sources. These non-sulfide collectors can be used singularly, in combinations, and in mixtures with known commercial sulfur containing collectors. These non-sulfur-containing collectors are compatible with common frothers.

| T | (-) |
|----------|-----|
| Inventor | cı. |
| | |

Tom L. Young et al.

Title:

FLOTATION OF SULFIDE MINERAL SPECIES WITH OIL

| | POWER OF ATTORNEY |
|---|---|
| | The specification of the above-identified patent application: s attached hereto vas filed on as application Serial No |
| attorney | hereby revoke all previously granted powers of attorney in the above-identified patent application and appoint the following to prosecute said patent application and to transact all business in the Patent and Trademark Office connected therewith: |
| | Marc V. Richards - 37,921 Jeffery M. Duncan - 31,609 |
| | lease address all correspondence and telephone calls to Marc V. Richards in care of: |
| | Brinks Hofer Gilson & Lione P.O. Box 10395 — Chicago, II. 60610 (312)321-4200 |
| U.S. att | The undersigned hereby authorizes the U.S. attorneys named herein to accept and follow instructions from <u>Sharon K. Young</u> , action to be taken in the Patent and Trademark Office regarding this application without direct communication between the ney and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorneys rein will be so notified by the undersigned. |
| identifie | Versitech, Inc., a corporation, certifies that it is the assignee of the entire right, title and interest in the patent application above by virtue of either: |
| | an assignment from the inventor(s) of the patent application identified above, a copy of which is attached hereto. OR |
| | an assignment from the inventor(s) of the patent application identified above. The assignment was recorded in the Patent and Trademark Office at Reel 10167, frame 538-543. |
| | chain of title from the inventor(s), of the patent application identified above, to the current assignee as shown below: |
| the street street street | 1. From To: The document was recorded in the Patent and Trademark Office at Reel, frame, or a copy thereof is attached. |
| भूकर तथा तथा तथा वराष्ट्र साथा स्थाप हिन्दी हिन्दी हिन्दी हिन्दी हिन्दा हिन्दी | 2. From To: The document was recorded in the Patent and Trademark Office at Reel, frame, or a copy thereof is attached. |
| . , | Additional documents in the chain of title are listed on a supplemental sheet. |
| above ar | he undersigned has reviewed the assignment or all the documents in the chain of title of the patent application identified to the best of undersigned's knowledge and belief, title is in the assignee identified above. |
| | he undersigned (whose title is supplied below) is empowered to act on behalf of the assignee. |
| like so n | hereby declare that all statements made herein of my own knowledge are true, and that all statements made on information are believed to be true; and further, that these statements are made with the knowledge that willful false statements, and the de, are punishable by fine or imprisonment, or both, under Section 1001, Title 18 of the United States Code, and that such e statements may jeopardize the validity of the application or any patent issuing thereon. |
| Signatur Name: Title: Rev. Dec99 | Yom L. Young Vice President Vice President |

DECLARATION FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled <u>FLOTATION OF SULFIDE MINERAL SPECIES WITH OIL</u>, the specification of which:

| is a | ttached nereto. | | | | | | | | |
|---|--|--|--|-------------------|------------------|--|--|--|--|
| was | s filed on as Appli | cation Serial No | | | | | | | |
| and | was amended on | (if applicable). | | | | | | | |
| I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above. | | | | | | | | | |
| I acknowledge the de Regulations, § 1.56(a | uty to disclose information). | on which is material to the patentabil | lity as defined in Title 37 | 7, Code of | Federal | | | | |
| inventor's certificate United States, listed l | or § 365(a) of any PCT below and have also iden | r 35 U.S.C. § 119(a)-(d) or § 365(b). International application which desitified below, by checking the box, any ving a filing date before that of the applications. | ignated at least one coun y foreign application for p | ntry other to | han the ventor's | | | | |
| Prior Foreign Applica | ation(s) | | Pı | riority Clair | med | | | | |
| range, constitution of the constitution of the | | | | | | | | | |
| (Number) | (Country) | (Day/Month/Year I | Filed) | Yes | □ No | | | | |
| I hereby claim the ber | nefit under 35 U.S.C. § 1 | 19(e) of any United States provisional | application(s) listed below | v: | | | | | |
| 60/096 | | August 11, 1998 | (1) | | | | | | |
| (Application | | (Filing Date) | - | | | | | | |
| I hereby claim the b | enefit under 35 IISC 8 | § 120 of any United States application | un(s) or $8.365(a)$ of any | DCT Inton | antional | | | | |
| application designating | g the United States, liste | d below and, insofar as the subject ma | atter of each of the claims | of this app | lication | | | | |
| is not disclosed in the | e prior United States or I | PCT International application in the m | nanner provided by the first | st paragrap | h of 35 | | | | |
| ≝U.S.C. § 112, I ackn | owledge the duty to disc | close information which is material to | patentability as defined | in 37 CFR | § 1.56 | | | | |
| which became availat application: | ole between the filing dat | te of the prior application and the nati | onal or PCT International | filing date | of this | | | | |
| | | | | | | | | | |
| PCT/US99 | | August 9, 1999 | Pendir | ıg | | | | | |
| (Application | Serial No.) | (Filing Date) | (Status-patented, pend | ding, aband | oned) | | | | |
| the like so made are p | be true; and further that punishable by fine or imp | in of my own knowledge are true and these statements were made with the risonment, or both, under Section 100 te the validity of the application or any | knowledge that willful fa | lse stateme | nts and | | | | |
| Inventor's Signature | 1-00 | | 1 / | 2/61 | | | | | |
| Full name of sole or fi | rst inventor | Tom L. Young | Date: | <u>~//&/_</u> | | | | | |
| Residence | | Tucson, Arizona | / | A 7 | | | | | |
| Citizenship | | United States | / | /16_ | | | | | |
| Post Office Address | | 1438 West San Lucas Drive, Tucson, A | Arizona 85704 | | | | | | |

BRINKS HOFER GILSON & LIONE

P.O. Box 10395 Chicago, IL 60610 (312) 321-4200

| A | Λ Λ | Case No. <u>10322/33</u> |
|---|--|--------------------------|
| 2-00 | Michael C. Green Date: | 1/17/11 |
| Inventor's Signature | Muhai V. Organ Date: | 1123101 |
| Full name of second joint inventor, if any | Michael G. Greene | |
| Residence | Tucson, Arizona | <u> </u> |
| Citizenship | United States | |
| Post Office Address | 1152 West Wheatridge Drive, Tucson, Arizona 85704 | |
| | | |
| Inventor's Signature 3-00 | Lathy Bacco Date: | 1-25-01 |
| Full name of third joint inventor | Kathy Bauer | |
| Residence | Tucson, Arizona | A2_ |
| Citizenship | United States | |
| Post Office Address | 630 East Camino Lujosa, Tucson, Arizona 85704 | |
| í | | |
| Inventor's Signature | Bennie & Kohle On behalf of Date: | 1-23-01 |
| Full name of fourth joint inventor | Norman R. Reber (deceased) | 1 32 127 |
| Residence | Tucson, Arizona | 1/2 |
| Citizenship | United States | |
| Post Office Address | 3289 Coriander Drive, Tucson, Arizona 85741 | |
| Inventor's Signature 5-11 | Barrie & Rolls Date: | 1-23-01 |
| Full name of fifth joint inventor | Bonnie I. Reber, legal representative of Norman R. Reber | |
| Residence | Tucson, Arizona | #7 |
| Citizenship | United States | |
| Post Office Address | 3289 Coriander Drive, Tucson, Arizona 85741 | |
| 25 | 1 | / / |
| Inventor's Signature $(D - \partial D)$ | Shanon War Date: | 1/23/01 |
| Full name of sixth joint inventor | Sharon K. Young | |
| Residence | Tucson, Arizona | AZ |
| Citizenship | United States | |
| Post Office Address | 1438 West San Lucas Drive, Tucson, Arizona 85704 | |
| # F 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 | | |
| Fac B | | |
| rev. Dec99 | | |
| Document5 | | |
| Document | | |
| T Company Comp | | |
| s constant | | |
| | | |